According to regulation (EC)1907/2006

#### SECTION 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY

1.1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

Product name: SMARTMATERIALS RESIN CRYSTAL IMPACT

UFI: D2RY-W0GP-Q007-HJ5X

Product type: Photopolymerizable resin.

#### 1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES DISAGREE

Recommended uses: Resin for 3D printing. Additive manufacturing. Exclusive professional user use.

Uses advised against: No information available.

#### 1.3 IDENTIFICATION OF THE COMPANY

SMART MATERIALS 3D PRINTING SL Polígono Industrial El Retamar · C/ Tomillo 7 – Vial G 23680 Alcalá la Real (Jaén) SPAIN

2 +34 953 041 993
 4 +34 953 113 527
 info@smartmaterials3d.com
 www.smartmaterials3d.com

#### 1.4 EMERGENCY CONTACT

Emergency phone: 112

#### **SECTION 2. HAZARDS IDENTIFICATION**

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

## CLP Regulation (EC) No 1272/2008

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008

Aquatic Chronic 4: Hazardous to the aquatic environment, long-term hazard, Category 4, H413 Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

## 2.2 LABEL ELEMENTS

Symbols / Pictograms:

(!)

Warning words:

Warning

Hazard statements: Aquatic Chronic 4: H413 – May cause long lasting harmful effects to aquatic life. Skin Sens.

1B: h317 - May cause an allergic skin reaction.

Cautionary advice: P261: Avoid breathing dust/fume/gas/mist/vapours/spray

P272: Contaminated wok clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of contents/container in accordance with regulations on hazardous waste

or packaging and packaging waste respectively.

Supplementary information: Contains Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide, pentaerythritol tetraacrylate.

UFI: D2RY-W0GP-Q007-HJ5X

**Revision Date: 20/10/2021** Version 1.0/EN

#### 2.3 OTHER HAZARDS:

Product fails to meet PBT/vPvB criteria

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1 SUBSTANCE

Non-applicable.

### 3.2 CHEMICAL CHARACTERIZATION: MIXTURES

In accordance with Annex II of Regulation (EC) No 1907/2006, the product contains:

Chemical na	ame/Classification			Identification	%	
Esterification p	products of 4,4' -isopropylidenediphenol, ethoxylated and 2-	0-16-1:61	CAS:	41637-38-1		
methylprop-2-		Self-classified	CE:	609-946-4	40 - 65	
Regulation	Aquatic Chronic 4: H413		Index:	Non-applicable	40 - 65	
272/2008	Aquatic Chronic 4: H413		REACH:	01-2119980659-17-XXXX		
Dontoowithrital	tetraacrylate (1)	ATP CLP00	CAS:	4986-89-4		
Pentaerythritoi	tetraacrylate ··	ATP CLP00	CE:	225-644-1	9 - 30	
Regulation	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	<u>(1)</u>	Index:	607-122-00-9	9-30	
1272/2008	Eye IIII. 2: H319, Skill IIII. 2: H315, Skill Sells. I: H317 - Walling	$\vee$	REACH:	Non-applicable		
Fui a tha a souia a la	Aulailana (1)	Self-classified	CAS:	17980-47-1		
Triethoxyisobu	tyisiiane <sup>(v)</sup>	Seli-classified	CE:	402-810-3	3-9	
Regulation	Skin Irrit. 2: H315 - Warning	Index:	Index:	Non-applicable		
1272/2008	Skin Irrit. 2: H315 - Warning		REACH:	01-0000015254-76-XXXX	<u>]</u>	
Pinhanul (2.4.6 trimatribulhanzaul) nhaanhina avida (1)		0-16-1:61	CAS:	75980-60-8	0.5 - 2	
iphenyl (2,4,6-trimetrhylbenzoyl) phosphine oxide (1)		Self-classified	CE:	278-355-8		
Regulation	Aquatic Chronic 2: H411; Repr. 2: H361f; Skin Sens. 1B: H317 - Warning	$\wedge \wedge \wedge$	Index:	015-203-00-X		
1272/2008	Aquatic Chronic 2: H411; Repr. 2: H3611; Skin Sens. 1B: H317 - Warning	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	REACH:	01-2119972295-29-XXXX		
Alinhatia naluu	rethane polymer (1)	0 10 1 10 1	CAS:	39323-37-0	0.1 - 0.5	
Aliphatic polyu	retnane polymer "	Self-classified	CE:	Non-applicable		
Regulation	Skin Sens. 1: H317- Warning	<u>(1)</u>	Index:	Non-applicable		
1272/2008	Skill Sells. I. H317- Walling	•	REACH:	Non-applicable		
Ciclohexane (2)		ATP CLP00	CAS:	110-82-7		
Cicionexane (-)		ATP CLP00	CE:	203-806-2	0.01 - 0.1	
Regulation	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Asp. Tox. 1: H304;	(!) (i) (k) (k)	Index:	601-017-00-1	0.01 - 0.1	
1272/2008	Flam. Liq.2: H225; Skin Irrit. 2: H315; STOT SE 3: H336 -Danger	<b>∀∀∀</b>	REACH:	01-2119463273-41-XXXX		
Toluene (2)	·alama (2)		CAS:	108-88-3	0.01.01	
oluene (4)		ATP CLP00	CE:	203-625-9		
Regulation	Asp. Tox. 1: H304; Flam. Liq. 2: H225; Repr. 2: H361d; Skin Irrit. 2: H315; S	тот	Index:	601-021-00-3	0.01 - 0.1	
1272/2008	RE2: H373; STOT SE 3: H336 - Danger		REACH:	01-2119471310-51-XXXX		

<sup>&</sup>lt;sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

## **SECTION 4. FIRS AID MEASURES**

4.1 DESCRIPTION OF FIRS AID MEASURES

By eye contact : In case of irritation caused by the fumes, rinse immediately with plenty of water, also under

the eyelids. If symptoms persist, contact your doctor.

By skin contact : May produce an allergic reaction on the skin. In case of contact, it is recommended to clean

the affected area with water by dragging and with neutral soap. In case of skin changes

(itching, redness, rashes, blisters ...), go to a doctor with this Safety Data Sheet.

By inhalation : It is a product not classified as dangerous by inhalation, however, in case of symptoms of

poisoning it is recommended to remove the affected person from the place of exposure, supply

them with clean air and keep them at rest. Seek medical attention if symptoms persist.

<sup>(2)</sup> Substance with a Union workplace exposure limit



Version 1.0/FN Revision Date: 20/10/2021 According to regulation (EC)1907/2006

By ingestion

: Do not induce vomiting, if it occurs keep the head tilted forward to avoid aspiration. Keep the patient at rest. Rinse the mouth and throat, as there is a possibility that they have been affected on ingestion.

### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, ACUTE AND DELAYED

Acute and delayed effects are listed in Sections 2 and 11.

#### 4.3 INDICATIONS FOR MEDICAL ATTENTION AND SPECIAL TREATMENTS THAT SHOULD BE GIVEN IMMEDIATELY

No hay information available

### **SECTION 5. FIREFIGHTING MEASURES**

#### 5.1 EXTINGUISHING MEDIA

Suitable extinguishing media

: Non-flammable product under normal conditions of storage, handling, and use, containing flammable substances. In case of ignition because of handling, storage or improper use, preferably use multipurpose powder extinguishers (ABC powder), in accordance with the Regulation of fire protection installations (R.D. 513/2017 and subsequent modifications).

Unsuitable extinguishing media : It is recommended not to use full jet water as an extinguishing agent.

#### 5.2 SPECIAL HAZARDS ARISING FORM THE SUBSTANCE OR MIXTURE

Because of combustion or thermal decomposition, reaction by-products are generated that can be highly toxic and, consequently, can present a high risk to health.

#### 5.3 ADVICE FOR FIREFIGHTER

Instructions : No fighting instruction is required.

Special protective equipment for firefighters

: As in any fire, wear MSHA / NIOSH pressure-demand self-contained breathing apparatus (approved or equivalent) and all necessary protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

For personnel who are not part of the emergency services

: Isolate leaks if it does not pose an additional risk to persons performing this function. Evacuate the area and keep unprotected people away. In the event of potential contact with the spilled product, the use of personal protection elements is mandatory (see SECTION 8). Avoid as a priority the formation of flammable vapor-air mixtures, either through ventilation or the use of an inerting agent. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all conductive surfaces on which static electricity can form, while the assembly is grounded.

For emergency personnel : Wear with appropriate personal protective equipment (see SECTION 8).

### **6.2 ENVIRONMENTAL PRECAUTIONS**

Avoid at all costs any type of spillage into the aquatic environment. Adequately contain the absorbed / collected product in hermetically sealable containers. Notify the competent authority in the event of exposure to the public or the environment.

## 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING

It is recommended:



Absorb spillage with sand or inert absorbent and move to a safe place. Do not absorb in sawdust or other combustible absorbents. For any consideration regarding disposal, consult SECTION 13.

#### **SECTION 7. HANDLING AND STORAGE**

7.1 PRECAUTIONS FOR SAFE HANDLING

#### **General precautions**

: Comply with current legislation on the prevention of occupational hazards. Keep containers tightly closed. Control spills and residues, eliminating them with safe methods (SECTION 6). Avoid free spillage from container. Maintain order and cleanliness where dangerous products are handled.

#### **Technical** recommendations for the prevention of fires and explosions

: Avoid evaporation of the product as it contains flammable substances, which can form flammable vapor / air mixtures in the presence of ignition sources. Control ignition sources (mobile phones, sparks ...) and transfer at slow speeds to avoid the generation of electrostatic charges. Consult SECTION 10 on conditions and materials to avoid.

#### **Technical recommendations to** ergonomic prevent and toxicological hazards

: For exposure control consult SECTION 8. Do not eat, drink, or smoke in work areas; wash hands after each use and remove contaminated clothing and protective equipment before entering eating areas.

## **Technical recommendations to** prevent environmental risks

: Due to the danger of this product for the environment, it is recommended to handle it within an area that has pollution control barriers in case of spillage, as well as to have absorbent material in the vicinity of it.

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Requirements for the warehouse

and containers

: Store in a dry place, protect from sunlight, store between 5°C and 30°C.

**Rules for joint storage** : Not necessary.

**Additional** storage conditions

information on : Store in tightly closed containers in a cool, dry place.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 CONTROL PARAMETERS** 

Substances whose occupational exposure limits must be monitored in the workplace (European OEL, not countryspecific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits			
Cyclohexane	IOELV (8h)	200 ppm	700 mg/m <sup>3</sup>	
CAS: 110-82-7 CE: 203-806-2	IOELV (STEL)	-	-	
Toluene	IOELV (8h)	50 ppm	192 mg/m <sup>3</sup>	
CAS: 108-88-3 CE: 203-625-9	IOELV (STEL)	100 ppm	384 mg/m <sup>3</sup>	



## **DNEL (Workers):**

		Short exposure		Long e	xposure
Identification		Systemic	Local	Systemic	Local
Esterification products of 4,4' -	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
isopropylidenediphenol, ethoxylated and 2- methyplprop-2enoic acid	Dermal	Non-applicable	Non-applicable	2 mg/kg	Non-applicable
CAS: 41637-38-1 CE: 608-946-4	Inhalation	Non-applicable	Non-applicable	3,52 mg/m³	Non-applicable
Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 75980-60-8	Dermal	Non-applicable	Non-applicable	0,233 mg/kg	Non-applicable
CE: 278-355-8	Inhalation	Non-applicable	Non-applicable	0,822 mg/m³	Non-applicable
Cyclohexane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 110-82-7	Dermal	Non-applicable	Non-applicable	2016 mg/kg	Non-applicable
CE: 203-806-2	Inhalation	1400 mg/m³	1400 mg/m <sup>3</sup>	700 mg/m³	700 mg/m³
Toluene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-88-33	Dermal	Non-applicable	Non-applicable	384 mg/kg	Non-applicable
CE: 203-625-9	Inhalation	384 mg/m³	384 mg/m³	192 mg/m³	192 mg/m³

## **DNEL (General population):**

	Short exposure		Long exposure		
Identification		Systemic	Local	Systemic	Local
Esterification products of 4,4' - isopropylidenediphenol, ethoxylated and 2-	Oral	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable
methyplprop-2enoic acid	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
CAS: 41637-38-1 CE: 608-946-4	Inhalation	Non-applicable	Non-applicable	0,87 mg/ m³	Non-applicable
Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide	Oral	Non-applicable	Non-applicable	0,0833 mg/kg	Non-applicable
CAS: 75980-60-8	Dermal	Non-applicable	Non-applicable	0,0833 mg/kg	Non-applicable
CE: 278-355-8	Inhalation	Non-applicable	Non-applicable	0,145 mg/m <sup>3</sup>	Non-applicable
Cyclohexane	Oral	Non-applicable	Non-applicable	59,4 mg/kg	Non-applicable
CAS: 110-82-7	Dermal	Non-applicable	Non-applicable	1186 mg/kg	Non-applicable
CE: 203-806-2	Inhalation	412 mg/m³	412 mg/ m³	206 mg/m³	206 mg/m <sup>3</sup>
Toluene	Oral	Non-applicable	Non-applicable	8,13 mg/kg	Non-applicable
CAS: 108-88-33	Dermal	Non-applicable	Non-applicable	226 mg/kg	Non-applicable
CE: 203-625-9	Inhalation	226 mg/m³	226 mg/m³	56,5 mg/m³	56,5 mg/m³

## PNEC:

Identification				
	STP	100 mg/L	Water	0.17 mg/L
Triethoxyisobutylsilane	Soil	2.7 mg/kg	Marine water	0.017 mg/L
CAS: 17980-47-1 CE: 402-810-3	Intermittent	1.7 mg/L	Sediment (Water)	14 mg/kg
	Oral	0.0333 g/Kg	Sediment (Marine water)	1.4 mg/kg
	STP	Non-applicable	Water	0.0014 mg/L
Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide CAS: 75980-60-8	Soil	0,0222 mg/Kg	Marine water	0,00014 mg/L
CE: 278-355-8	Intermittent	0,014 mg/L	Sediment (Water)	0.115 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.0115 mg/kg
	STP	3.24 mg/L	Water	0.207 mg/L
Cyclohexane CAS: 110-82-7	Soil	3.38 mg/kg	Marine water	0.207 mg/L
CE: 203-806-2	Intermittent	0.207 mg/L	Sediment (Water)	16.68 mg/Kg
	Oral	Non-applicable	Sediment (Marine water)	6.68 mg/Kg



Version 1.0/EN Revision Date: 20/10/2021

According to regulation (EC)1907/2006

	STP	13.61 mg/L	Water	0.68 mg/L
Toluene CAS: 108-88-33	Soil	2.89 mg/kg	Marine water	0.68 mg/L
CAS: 108-88-33 CE: 203-625-9	Intermittent	0.68 mg/L	Sediment (Water)	16.39 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	16.39 mg/kg

#### **8.2 EXPOSURE CONTROL**

### A.- Individual protection measures, such as personal protective equipment

As a preventive measure, the use of basic personal protective equipment is recommended, with the corresponding CE marking in accordance with R.D. 1407/1992 and subsequent modifications. For more information on personal protective equipment (storage, use, cleaning, maintenance, protection class ...) consult the information leaflet provided by the PPE manufacturer. The indications contained in this point refer to the pure product. The protection measures for the diluted product may vary depending on its degree of dilution, use, application method, etc. To determine the obligation to install emergency showers and / or eyewashes in warehouses, the regulations regarding the storage of chemical products applicable in each case will be considered. For more information see sections 7.1 and 7.2.

All the information included here is a recommendation, and it is necessary to specify it by the occupational risk prevention services as it is not aware of the additional prevention measures that the company may have or if they have been included in the relevant risk assessment.

## B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Observations
Mandatory respiratory tract protection	Self-filtering mask for gases and vapours (Filter type: FFP2)	CAT III	EN 405:2002+A1:2010	Replace when the odor or taste of the contaminant is detected inside the mask or face adapter. When the pollutant does not have good warning properties, the use of insulating equipment is recommended.
Mandatory respiratory tract protection	Self-filtering mask for gases and vapors (Filter type: A)	CAT III	EN 405:2002+A1:2010	Replace when the odor or taste of the contaminant is detected inside the mask or face adapter. When the pollutant does not have good warning properties, the use of insulating equipment is recommended.

## C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Observations
Mandatory hand protection	Protective gloves against minor risks (Material: Nitrile)	CATI	EN 420:2004 A1:2010 EN ISO 374-1:2016 A1:2018	Replace the gloves at any sign of deterioration. For prolonged periods of exposure to the product for professional / industrial users, the use of CE III gloves is recommended.

Since the product is a mixture of different materials, the resistance of the glove material cannot be calculated in advance with complete reliability and therefore must be checked before application.



**Revision Date: 20/10/2021** Version 1.0/EN

## D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Observations
Mandatory face protection	Goggles against splashes and / or projections	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Its use is recommended in case of risk of splashing.

## E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Observations
	Work clothing	CATI	EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994	Replace before any indication of deterioration. For prolonged periods of exposure to the product for professional / industrial users CE III is recommended.
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any indication of deterioration. For prolonged periods of exposure to the product for professional / industrial users CE III is recommended,

## E.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

## **Environmental exposure controls:**

Under Community environmental protection legislation, it is recommended to avoid spilling both the product and its packaging into the environment. For additional information see section 7.1.D

## Volatile organic compounds:

In application to R.D. 117/2003 and subsequent modifications (Directive 2010/75 / EU), this product has the following characteristics:

V.O.C (Supply): 3,45 % weight

V.O.C DENSITY at 20 °C: 38,24 kg/m³ (38,24 g/L)

Average carbon number: 9,5

Average molecular weight: 205,86 g/mol

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

**Physical state** : Liquid **Appearance** : Viscous Colour : Colourless



Version 1.0/EN Revision Date: 20/10/2021

According to regulation (EC)1907/2006

 Odour
 : Resin

 Density
 :1,109 g/cm³

 Kinematic viscosity at 40°C
 : <20,5 mm²/s</td>

 pH
 : 6 - 8 (al 100%)

Flash point : Non-flammable (>60°C)

Autoignition temperature : 260 °C

#### 9.2 OTHER INFORMATION

Non available

#### **SECTION 10. STABILITY AND REACTIVITY**

## 10.1 REACTIVITY

None are expected under normal use conditions.

#### 10.2 CHEMYCAL STABILITY

Stable under recommended storage conditions.

#### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

None are expected under normal use conditions.

### 10.4 CONDITIONS TO AVOID

Caution against overheating. Caution against sunlight. Prolonged exposure will cause product degradation.

### 10.5 INCOMPATIBLE MATERIALS

Avoid strong acids.

Avoid alkalis or strong bases.

### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

See SECTION 5.2

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

There are no experimental data on the product itself regarding toxicological properties.

## **Dangerous effects for health:**

In case of repetitive or prolonged exposure or at concentrations higher than those established by the occupational exposure limits, adverse health effects may occur depending on the route of exposure:

### A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for ingestion. For more information see SECTION 3.
- Corrosivity / Irritability: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for this effect. For more information see SECTION 3.

#### B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances
  classified as dangerous by Inhalation. For more information see SECTION 3.
- Corrosivity / Irritability: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for this effect. For more information see SECTION 3.



## C- Contact with skin and eyes (acute effect):

- Contact with the skin: Based on the available data, the classification criteria are not met, however, it contains substances classified as dangerous for contact with the skin. For more information see SECTION 3.
- Eye contact: Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see SECTION 3.

### D- CMR effects (carcinogenicity, mutagenicity y toxicity for reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects described. For more information see SECTION 3. IARC: Toluene (3); Phenol (3); Carbon black (2B).
- Mutagenicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous with mutagenic effects. For more information see SECTION 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for this effect. For more information see SECTION 3.

### E- Sensitizing effect:

Respiratory: Based on the available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitizing effects above the limits set forth in point 3.2 of Regulation (EC) 2015/830. For more information see sections 2, 3 and 15.

Dermal: Prolonged contact with the skin can lead to PPE sodium from allergic contact dermatitis.

## Specific Target Organ Toxicity (STOT)-single exposure:

Based on available data, the classification criteria are not met, however, it does contain substances classified as dangerous by Inhalation. For more information see SECTION 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT) -repeated exposure: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous by repetitive exposure. For more information see
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see SECTION 3.

## H- Aspiration hazard:

Based on available data, the classification criteria are not met, however, it does contain substances classified as dangerous for this effect. For more information see SECTION 3.

## Specific toxicological information of the substances:

Identification	Acute to	oxicity	Genus
Triethoxyisobutylsilane	DL50 oral	5500 mg/kg	Rat
CAS: 17980-47-1	DL50 Dermal	Non-applicable	
CE: 402-810-3	DL50 Inhalation	Non-applicable	
Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide	DL50 oral	5500 mg/kg	Rat
CAS: 75980-60-8	DL50 Dermal	Non-applicable	
CE: 278-355-8	DL50 Inhalation	Non-applicable	
Cyclohexane	DL50 oral	5100 mg/Kg	Rat
CAS: 110-82-7	DL50 Dermal	Non-applicable	
CE: 203-806-2	DL50 Inhalation	Non-applicable	
Toluene	DL50 oral	5580 mg/kg	Rat
CAS: 108-88-33	DL50 Dermal	12124 mg/kg	Rat



According to regulation (EC)1907/2006

CE: 203-625-9	DL50 Inhalation	28,1 mg/L (4 h)	Rat

## **SECTION 12. ECOLOGICAL INFORMATION** 12.1 TOXICITY

Identification	А	cute toxicity	Species	Genus
Triethoxyisobutylsilane CAS: 17980-47-1 CE: 402-810-3	LC50	85 mg/L (96 h)	Oncorhynchus kisutch	Fish
	EC50	49.1 mg/L (48 h)	Ceriodaphnia dubia	Crustacean
	EC50	36 mg/L (72 h)	Scenedesmus subspicatus	Algae
Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide CAS: 75980-60-8 CE: 278-355-8	LC50	>1 - 10 (96 h)		Fish
	EC50	>1 - 10 (48 h)		Crustacean
	EC50	>1 - 10 (72 h)		Algae
Cyclohexane CAS: 110-82-7 CE: 203-806-2	LC50	>1 - 10 (96 h)		Fish
	EC50	>1 - 10 (48 h)		Crustacean
	EC50	>1 - 10 (72 h)		Algae
Toluene	LC50	13 mg/L (96 h)	Oncorhynchus kisutch	Fish
CAS: 108-88-33	EC50	11.5 mg/L (48 h)	Ceriodaphnia dubia	Crustacean
CE: 203-625-9	EC50	125 mg/L (48 h)	Scenedesmus subspicatus	Algae

## 12.2 PERSISTENCE AND DEGRADABILITY

Identification	Deg	Degradability		radability
Triethoxyisobutylsilane	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 17980-47-1 CE: 402-810-3	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	75 %
Cyclohexane CAS: 110-82-7 CE: 203-806-2	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 días
	BOD5/COD	Non-applicable	% Biodegradable	0 %
Toluene CAS: 108-88-33 CE: 203-625-9	BOD5	2,5 g O2/g	Concentration	100 mg/L
	COD	Non-applicable	Period	14 días
	BOD5/COD	Non-applicable	% Biodegradable	100 %

## 12.3 BIOACCUMULATIVE POTENTIAL

Identification		Bioaccumulation potential	
Triethoxyisobutylsilane	BCF	66	
CAS: 17980-47-1 CE: 402-810-3		3.44	
		Moderate	
Cyclohexane	BCF	66	
CAS: 110-82-7	Pow Log	3,44	
CE: 203-806-2	Potential	Moderate	
Toluene	BCF	13	
CAS: 108-88-33	Pow Log	2,73	
CE: 203-625-9	Potential	Low	

## 12.4 MOBILITY IN SOIL

Identification	Absorption/Desorption		Vola	atility
Triethoxyisobutylsilane	Koc	2820	Henry	Non-applicable
CAS: 17980-47-1	Conclusion	Low	Dry soil	Non-applicable
CE: 402-810-3	Surface tension	6,2E-2 N/m (20°C)	Moist soil	Non-applicable
Cyclohexane	Кос	Non-applicable	Henry	Non-applicable



**Revision Date: 20/10/2021** Version 1.0/EN

According to regulation (EC)1907/2006

CAS: 110-82-7 CE: 203-806-2	Conclusion	Non-applicable	Dry soil	Non-applicable
	Surface tension	2,465E-2 N/m (25°C)	Moist soil	Non-applicable
Toluene	Кос	178	Henry	672,8 Pa*m^3/mol
CAS: 108-88-33	Conclusion	Moderate	Dry soil	Yes
CE: 203-625-9	Surface tension	2,478E-2 N/m (25 °C)	Moist soil	Yes

#### 12.5 RESULTS OF PBT AND vPvB ASSESSMENT

Non-applicable

#### 12.6 OTHERS ADVERSE EFFECTS

No information available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

13.1 WASTE TREATMENT METHODS

Code	Description	Waste class (Regulation (EU) nº 1357/2014)
20 01 27*	Paint, inks, adhesives, and resins containing hazardous substances	Dangerous

## Type of waste (Regulation (UE) nº 1357/2014):

**HP14 Ecotoxic** 

#### Waste management (disposal and evaluation):

Consult the authorized waste manager for recovery and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98 / EC, Law 22/2011). According to codes 15 01 (2014/955 / EU), if the container has been in direct contact with the product, it will be managed in the same way as the product itself, otherwise it will be managed as non-hazardous waste. Dumping into water courses is discouraged. See section 6.2.

### Legislative provisions related to waste management:

In accordance with Annex II of Regulation (EC) No. 1907/2006 (REACH), the community or state provisions related to waste management are included.

Community legislation: Directive 2008/98 / EC, 2014/955 / EU, Regulation (EU) No. 1357/2014

National legislation: Law 22/2011, Royal Decree 180/2015, Law 11/1997

## **SECTION 14. TRANSPORT INFORMATION**

**ADR** : No regulated : No regulated RID : No regulated **IATA IMDG** : No regulated

### **SECTION 15. REGULATORY INFORMATION**

15.1 SAFETY, HEALTH AND ENVIRONMENTAL STANDARDS / LEGISLATION SPECIFIC TO THE SUBSTANCE OF THE **MIXTURE** 

Candidate substances for authorization in Regulation (EC) 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH (authorization list) and expiration date: non-applicable



Regulation (EC) 1005/2009, on substances that deplete the ozone layer: non-applicable Active substances which have been included in Article 95 of Regulation (EU) No. 528/2012: Non-applicable REGULATION (EU) No 649/2012, relative to the export and import of dangerous chemical products: non-applicable

#### Seveso III:

Non-applicable

## Restrictions on the marketing and use of certain dangerous substances and mixtures (Annex XVII of the REACH regulation, etc. ...):

Shall not be used in:

- Decorative items intended to produce lighting or colour effects obtained through different phases, for example, ambient lamps and ashtrays,
- Fun and joke articles,
- Games for one or more participants or any item that is going to be used as such, even with a decorative character.

Occupational exposure to respirable crystalline silica must be controlled in accordance with Directive (EU) 2019/130.

## Specific provisions regarding the protection of people or the environment:

It is recommended to use the information collected in this safety data sheet as input data in a risk assessment of local circumstances to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

Regulation (EC) No. 1272/2008 of the European Parliament and of the Council, of December 16, 2008, on classification, labelling and packaging of substances and mixtures, and which modifies and repeals Directives 67/548 / EEC and 1999 / 45 / EC and Regulation (EC) No. 1907/2006 and all its subsequent amendments are amended.

## 15.2 CHEMICAL SAFETY ASSESSMENT

The supplier has not carried out evaluation of chemical safety.

#### **SECTION 16. OTHER INFORMATION**

#### Legislation applicable to safety data sheets:

This safety data sheet has been developed in accordance with ANNEX II-Guide for the preparation of Safety Data Sheets of Regulation (CE) No. 1907/2006 (Regulation (EU) No. 2015/830)

#### Modifications with respect to the previous safety data sheet that affect risk management measures:

Non-applicable

## Texts of the legislative phrases contemplated in SECTION 2:

H413: May be harmful to aquatic life with long lasting effects.

H317: May cause an allergic skin reaction.

## Texts of the legislative phrases contemplated in SECTION 3:

The phrases indicated do not refer to the product itself, they are for information only and refer to the individual components that appear in SECTION 3

### Regulation nº1272/2008 (CLP):

According to regulation (EC)1907/2006

Acute Tox. 3: H301 + H311 + H331 - Toxic if swallowed, in contact with skin or Inhalation.

Aquatic Acute 1: H400 - Very toxic to aquatic organisms.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 4: H413 - May be harmful to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapor. Mutates. 2: H341 - Suspected of causing genetic defects.

Repr. 2: H361d - Suspected of damaging the fetus. Repr. 2: H361f - Suspected of damaging fertility.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes Dermal irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1B: H317 - May cause an allergic skin reaction.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure.

STOT SE 3: H336 - May cause drowsiness or dizziness.

#### Classification procedure:

Aquatic Chronic 4: Calculation method Skin Sens. 1B: Calculation method

#### Advice regarding training:

Minimum training in occupational risk prevention is recommended for the personnel who are going to handle this product, to facilitate the understanding and interpretation of this safety data sheet, as well as the labelling of the product.

### Main bibliographic sources:

http://echa.europa.eu http://eur-lex.europa.eu

## Abbreviations and acronyms:

ADR: European Agreement on the International Transport of Dangerous Goods by Road

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

COD: Chemical Oxygen Demand

BOD5: Biological Oxygen Demand at 5 days

**BCF: Bioconcentration Factor** 

LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective Concentration 50

Log POW: Logarithm Octanol Water Partition Coefficient

Koc: Organic Carbon Partition Coefficient

SDS: Safety Data Sheet UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The data that can be extracted from this safety data sheet is based on the current state of our knowledge, this information should be treated as a guide for transport, safe storage, and handling. The information provided does not constitute any guarantee of the product's qualities. Furthermore, it is the user's responsibility to handle the product in accordance with local regulations and standards.



The information provided in this security sheet does not generate any contractual legal relationship.

smart ma